Patent No. 7,325,683

Paper Dated: April 23, 2008 Attorney Docket No. 1455-045907

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.

7,325,683

Confirmation No. 8406

Inventors

.

HYO-YOUNG BAE ET AL.

Issued

:

February 5, 2008

Title

.

WELDING WIRE CONTAINER

Examiner

:

Customer No.

28289

Luan K. Bui

Commissioner for Patents P. O. Box 1450

Alexandria, VA 22313-1450

ATTENTION:

Decision and Certificate of Correction Branch

Patent Issue Division

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 C.F.R. 1.322(a))

Sir:

In accordance with 35 U.S.C. §254, we attach hereto Form PTO/SB/44 and a copy of proof of PTO's error and request that a Certificate of Correction be issued in the above-identified patent. The following error appears in the patent as printed:

Column 15, Line 65, Claim 1, "protection," should read – projection, – (See the Amendment dated June 25, 2007, page 4, Claim 8, Line 14. Claim 8 issued as Claim 1.)

Respectfully submitted, THE WEBB LAW FIRM

I hereby certify that this correspondence is being electronically submitted to the United States Patent and Trademark Office on April 23, 2008.

04/23/2008

Date

Mary Jo Sinicrope

Typed Name of Person Signing Certificate

ട് ignature

Kent E. Baldauf

Registration No. 25,826

Attorney for Applicants 436 Seventh Avenue

700 Koppers Building Pittsburgh, PA 15219

Telephone: (412) 471-8815 Facsimile: (412) 471-4094

E-mail: webblaw@webblaw.com

PTO/SB/44 (09-07)
Approved for use through 08/31/2010, OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION					
	7,325,683	Page _	1	_ of	1
	10/518,451				
	February 5, 2008				
INVENTOR(S) :	Hyo-Young Bae et al.				
It is certified is hereby corrected	that an error appears or errors appear in the above-identified patent and the das shown below:	ıat said	Lette	rs Pa	atent
Column 15,	Line 65, Claim 1, "protection," should read projection,				

MAILING ADDRESS OF SENDER (Please do not use customer number below):

The Webb Law Firm 436 Seventh Avenue 700 Koppers Building Pittsburgh, PA 15219

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Doc. No.: N36846

Appl. No. 10/518,451 Amdt. dated June 25, 2007 Reply to Office Action of April 2, 2007 Attorney Docket No. 1455-045907

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/518,451

Confirmation No. 8406

Applicants

Hyo-Young BAE et al.

Filed

December 20, 2004

Title

Welding Wire Container

Art Unit

3728

Examiner

Luan Kim Bui

Customer No.

28289

MAIL STOP AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

<u>AMENDMENT</u>

Sir:

In response to the Office Action of April 2, 2007, please amend the aboveidentified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks begin on page 12 of this paper.

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on June 25, 2007.

Diane Paul

(Name of Person Mailing Paper)

Diane Paull

06/25/2007

Signature

Date

{W0047605.1}

Appl. No. 10/518,451 Amdt. dated June 25, 2007 Reply to Office Action of April 2, 2007 Attorney Docket No. 1455-045907

E.A.

5

10

15

6. (Withdrawn) The welding wire container in accordance with claim 1, wherein the lid includes a flange contacting with an upper edge of the outer shell and a stepped portion extending down inside the outer shell for supporting an upper inner periphery of the outer shell.

7. (Withdrawn) The welding wire container in accordance with claim 1, wherein the flange of the upper fixture has a central inner periphery which is sized adequate for fixing a head cap for drawing out the welding wire.

(Currently Amended) A welding wire container which includes an outer shell for storing welding wire W therein, a base plate for closing a lower end of the outer shell and a lid for covering the outer shell, the welding wire container comprising:

a fitting projection arranged in a lower inner portion of the outer shell and having a diameter smaller than that of the base plate for catching and supporting the base plate thereon; and

a lower fixture for wrapping the lower end of the outer shell to structurally reinfercing reinforce the same, wherein the lower fixture includes a flange extending along a lower edge of the outer shell and a supporting face folded from the flange and extending along a lower outer periphery of the outer shell; and

a backing member made of steel and mounted on an inner portion of the fitting projection.

wherein the backing member includes:

a body extending along an inner periphery of the fitting projection, the body having a number of holes perforated from an inner face thereof toward an outer face thereof and projected burrs;

a flange folded from the body and extending along an outer edge of the base plate;

cut sections formed at the body and the flange in a radial direction of the outer shell; and

a diameter-adjusting means arranged at both ends of the body and the flange, whereby the backing member is adjusted in diameter.